

**DECLARATION OF PERFORMANCE**  
**No F/S/L25/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/L25/1 ALUPROF system external (façade) Venetian blinds with a total width of 3001 to 4000 [mm], total height less than 2501 [mm], with guide cables and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/L25/2/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/L25/2 ALUPROF system external (façade) Venetian blinds with a total width of 2001 to 3000 [mm], total height less than 2501 [mm], with guide cables and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 2	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/L25/3/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/L25/3 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height less than 2501 [mm], with guide cables and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 3	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/L40/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/L40/1 ALUPROF system external (façade) Venetian blinds with a total width of 2001 to 3000 [mm], total height of 2501 to 4000 [mm], with guide cables and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/L40/2/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/L40/2 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height of 2501 to 4000 [mm], with guide cables and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 2	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/LW50/3/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/LW50/3 ALUPROF system external (façade) Venetian blinds with a total width of 3001 to 5000 [mm], total height less than 5001 [mm], with guide channels and with cables reinforcement and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 3	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/LW50/4/25**

Manufacturer:

**ALUPROF SA**  
**Sun Shading Solutions**  
**ul. Wschodnia 23a**  
**45-449 Opole, Poland**



Harmonised standard:

**EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)**

System/s of AVCP:

**System IV**

Unique identification code of the product-type:

**F/S/LW50/4 ALUPROF system external (façade) Venetian blinds with a total width of 2001 to 3000 [mm], total height less than 5001 [mm], with guide channels and with cables reinforcement and C80 or Z90 slat curtain**

Intended use/es:

**For external use**

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
<b>Wind load resistance classification</b>	<b>Class 4</b>	<b>EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)</b>

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
*Managing Director*  
*Sun Shading Solutions*  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/LW50/5/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/LW50/5 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height less than 5001 [mm], with guide channels and with cables reinforcement and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 5	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/M25/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/M25/1 ALUPROF system external (façade) Venetian blinds with a total width of 3001 to 4000 [mm], total height less than 2501 [mm], with guided by channel and cable and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/M25/3/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/M25/3 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height less than 2501 [mm], with guided by channel and cable and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 3	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/M25/3/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/M25/3 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height less than 2501 [mm], with guided by channel and cable and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 3	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/M40/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/M40/1 ALUPROF system external (façade) Venetian blinds with a total width of 2001 to 3000 [mm], total height of 2501 to 4000 [mm], with guided by channel and cable and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/M40/2/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/M40/2 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height of 2501 to 4000 [mm], with guided by channel and cable and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 2	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/P40/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/P40/1 ALUPROF system external (façade) Venetian blinds with a total width of 4001 to 4500 [mm], total height less than 4001 [mm], with guide channels and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/P40/2/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/P40/2 ALUPROF system external (façade) Venetian blinds with a total width of 3001 to 4000 [mm], total height less than 4001 [mm], with guide channels and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 2	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/P50/1/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/P50/1 ALUPROF system external (façade) Venetian blinds with a total width of 3001 to 4000 [mm], total height less than 5001 [mm], with guide channels and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 1	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/P50/3/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/P50/3 ALUPROF system external (façade) Venetian blinds with a total width of 2001 to 3000 [mm], total height less than 5001 [mm], with guide channels and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 3	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:



**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole

**DECLARATION OF PERFORMANCE**  
**No F/S/P50/5/25**

Manufacturer:

ALUPROF SA  
Sun Shading Solutions  
ul. Wschodnia 23a  
45-449 Opole, Poland



Harmonised standard:

EN 13659:2004+A1:2008 (BS EN 13659:2004+A1:2008)

System/s of AVCP:

System IV

Unique identification code of the product-type:

F/S/P50/5 ALUPROF system external (façade) Venetian blinds with a total width less than 2001 [mm], total height less than 5001 [mm], with guide channels and C80 or Z90 slat curtain

Intended use/es:

For external use

Declared performance/s:

Essential characteristics	Functional properties	Harmonized technical specification
Wind load resistance classification	Class 5	EN 13659:2004+A1:2008 BS EN 13659:2004+A1:2008)

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

**Artur Kruszewski**  
Managing Director  
Sun Shading Solutions  
08.12.2025 Opole